

RAFFIA

DIVISION

Grupo Ortiz raffia is a versatile tool designed for precision industrial and agricultural tying. Its high-density polypropylene manufacture ensures superior consistency in every meter of product.

Yield and Tying Versatility


Developed to offer maximum yield per kilo, our raffia combines excellent knot strength with the softness necessary to protect the crop or merchandise, optimizing operational costs in any application.



Products: - JUTE TWINE - ECOLOGICAL JUTE - BLACK FIBRILLATED RAFFIA - BLOWN RAFFIA

JUTE TWINE

100% virgin polypropylene fibrillated T1 raffia, with no physical alterations against the elements. Great strength and performance for agriculture, poultry, and horticulture. Variety of colors and UV filter option.



SPECIFICATIONS								
Presentation	Gauge 2	Gauge 3	Gauge 4	Gauge 4 Forrajera	Gauge 4 Bananera	Gauge 6	Gauge 8	Gauge 8 Reinforced
Performance (M/Kg) ±10%	500	333	250	250	250	166	125	90
Tensile Strength ±10%	132.28 lb/f	196.2 lb/f	216.1 lb/f	231.5 lb/f	264.6 lb/f	310.9 lb/f	476.2 lb/f	705.5 lb/f

Calibers of 2, 3, 4, 6, and 8 grams.

ECOLOGICAL JUTE

ECO raffia made of 100% virgin polypropylene, eco-friendly approach. Excellent strength and durability, weather resistant. For agriculture, poultry, and horticulture. Variety of colors and UV filter option.



SPECIFICATIONS							
Presentation	Gauge 2	Gauge 3	Gauge 4	Gauge 4 Forrajera	Gauge 6	Gauge 8	Gauge 8 Reinforced
Performance (M/Kg) ±10%	500	333	250	250	166	125	90
Tensile Strength ±10%	130.07 lb/f	141.10 lb/f	182.98 lb/f	198.42 lb/f	286.60 lb/f	440.92 lb/f	562.17 lb/f

Calibers of 2, 3, 4, 6, and 8 grams.

BLACK FIBRILLATED RAFFIA

Fibrillated polypropylene thread 100% virgin, durability and strength even outdoors. Suitable for agriculture, poultry, and horticulture. Black color with UV filter option.



SPECIFICATIONS						
Presentation	Gauge 2	Gauge 3	Gauge 4	Gauge 6	Gauge 8	Gauge 8 Reinforced
Performance (M/Kg) ±10%	500	333	250	166	125	90
Tensile Strength ±10%	130.07 lb/f	141.10 lb/f	182.98 lb/f	286.60 lb/f	440.92 lb/f	562.17 lb/f

Calibers of 2, 3, 4, 6, and 8 grams.

BLOWN RAFFIA

Designed for high-performance applications; strength and versatility. For industrial, agricultural, and packaging sectors: warehouses, factories, hardware stores, and workshops. Available with UV protection.



SPECIFICATIONS						
Presentation	Gauge 0.70	Gauge 1.0	Gauge 1.5	Gauge 2.0	Gauge 1.2 Flat	Gauge 2.2 Ribbon
Performance (M/Kg) ±10%	1428	1000	666	500	454	454
Tensile Strength ±10%	59.52 lb/f	83.78 lb/f	138.89 lb/f	196.23 lb/f	77.16 lb/f	53 kg/f

Calibers of 0.70, 1.0, 1.5, 2, and 2.2 grams.